

Presentation Award

February 17 (Fri) 13:20-14:50

Lecture Room 1 (Nexus)

Presentation Award 1

- Chairs Yoichi Nozaki | Caress Sapporo Hokko Memorial Hospital
Hideyuki Takimura | Tokyo General Hospital
Jen-Kuang Lee | National Taiwan University Hospital
- MO1 The impact of dissection form assessed by optical frequency domain imaging after balloon angioplasty
Yoshiro Tsukiyama | Kobe University Graduate School of Medicine
- MO2 Differential Arterial Healing between BMS and DES Evaluated by OCT; A Case Report
Masayuki Nakagawa | Kita-Harima Medical Center, Cardiology, Hyogo, Japan/Kita-Harima Medical Center, Critical Limb Ischemia Center, Hyogo, Japan
- MO3 Intravascular ultrasound predictor of 1 year restenosis after balloon angioplasty for SFA lesions.
Shunsuke Kakizaki | Osaka Saiseikai Nakatsu Hospital, Osaka, Japan
- MO4 Distal Embolization after EVT for High Intensity Plaque by Non-contrast T1W MRI of EIA CTO Lesion
Yu Takahashi | Himeji Caridovascular Center
- MO5 A case report: "HIP" can be useful at the determination of EVT strategy for PAD
Hidekazu Aoyama | Nagoya Tokushukai General Hospital, Aichi, Japan
- MO6 The novel method of EVT for CKD patient using DSA program with diluted contrast medium
Naoki Hayakawa | Asahi General Hospital, Department of Cardiology, Chiba, Japan
- MO7 Evaluation of Occluded Lesion in Peripheral Artery Using Dual Energy CT
Kaori Mine | Sakakibara Heart Institute, Tokyo, Japan
- MO8 Combined CFA endarterectomy and iliac stenting for the failed prior crossover FF bypass surgery.
Takahiro Ohmine | Division of Vascular Surgery, Department of Surgery, Hiroshima Redcross Hospital and Atomic-bomb Survivors Hospital

February 17 (Fri) 13:20-14:50

Lecture Room 2 (Nexus)

Presentation Award 2

- Chairs Kan Zen | Kyoto Prefectural University of Medicine
Kentaro Jujo | Tokyo Women's Medical University
Po-Chao Hsu | Kaohsiung Medical University Chung-Ho Memorial Hospital
- MO9 The outcomes of endovascular treatment in stenoocclusive lesions of the infra-renal abdominal aorta.
Wataru Takeuchi | Toyohashi Heart Center, Aichi, Japan
- MO11 Efficacy and Safety of Large Self-Expandable Nitinol Stent for Infra-Renal Abdominal Aortic Stenosis
Hiroaki Otsuka | Department of Cardiovascular Medicine, Okayama University, Okayama, Japan
- MO12 A Case of EVT for massive thrombus of S-G and stenotic lesion of left leg after EVAR.
Daisuke Kambayashi | Fukuchiyama City Hospital, Cardiovascular department, Kyoto, Japan
- MO13 Succesfully balloon crossing by BAD FORM Tecnique for left CIA CTO Lesion with severe calcification
Hideo Miura | Nagano Chuou Hospital

- MO14 Successful limb salvage from CLI due to AIOD with severe calcification.
Daisuke Miyawaki | Nanntan General Hospital Cardiovascular Medicine, Kyoto, Japan
- MO15 Successful Endovascular Treatment of Infrarenal Aortic Stenosis due to Antiphospholipid Syndrome
Yoshito Kadoya | Department of Cardiovascular Medicine, Graduate School of Medical Science, Kyoto Prefectural University of Medicine
- MO16 A case of emergent EVT for acute mesenteric ischemia
Nobuya Higashitani | Department of Cardiovascular Medicine, Japanese Red Cross Otsu Hospital, Shiga, Japan

February 17 (Fri) 14:50-16:20

Lecture Room 1 (Nexus)

Presentation Award 3

- Chairs Shigeru Nakamura | Kyoto Katsura Hospital
Yutaka Koyama | Tokyo Kamata Hospital
Pil-Hyung Lee | Asan Medical Center
- MO17 CTA alone is inadequate for the evaluation of great saphenous vein conduits for infrainguinal bypass
Cassandra M. Hidajat | Royal Melbourne Hospital, Victoria, Australia
- MO18 A huge tumor thrombus arrested by inferior vena cava filter.
Masanori Hayashi | Department of Surgery, Keio University school of Medicine, Tokyo, Japan
- MO19 Acute Phase Pulmonary Thrombus Reduction between Direct Oral Anticoagulant and Warfarin Treatment
Yasuhiro Kikuchi | Department of Cardiology Tokyo Womens Medical University Tokyo Japan
- MO20 Endovascular stenting for chronic post-thrombotic symptomatic iliac vein occlusion
Yuji Murakami | Cardiovascular Medicine Center, Fukuoka Sanno Hospital, Fukuoka, Japan
- MO21 A Case of Protection Filter With Severe Organized Thrombus Stucked In The Femoral Artery
Takashi Maruyama | Takatsu General Hospital Department of Cardiovascular
- MO22 The Utility of Oscillometric Recording Brachial Pressure Form Index for Peripheral Artery Disease
Naotaka Murata | Tokyo Medical University, Department of Cardiology, Tokyo, Japan
- MO23 The Impact of Lesion Morphology on Durability after Angioplasty for Arteriovenous Fistulae
Kotaro Suemitsu | Department of Internal Medicine, Division of Kidney and Dialysis, Kansai Rosai Hospital, Amagasaki, Japan
- MO24 Skin Ulcer due to Hemodialysis Access-induced Distal Ischemia in Patient with Giant Cell Arteritis.
Susumu Odajima | Hyogo Prefectural Awaji Medical Center, Hyogo, Japan

February 17 (Fri) 14:50-16:20

Lecture Room 2 (Nexus)

Presentation Award 4

- Chairs Yasutaka Yamauchi | Takatsu General Hospital
Tatsuki Dojjiri | Yamato-Seiwa Hospital
Chung-Ho Hsu | China Medical University Hospital
- MO25 Intravascular ultrasound and histopathological findings of effectiveness of flossing with "Crosser"
Jun Kikuchi | Gifu Heart Center, Gifu, Japan

- MO26 Predictors of non-Wound Healing in high risk Patient classified with Wifi classification
Takahiro Tokuda | Saiseikai Yokohama City Eastern Hospital, Yokohama, Japan
- MO27 Thrombectomy Using Biopsy Forceps in Acute Limb Ischemia Patients
Takenobu Shimada | Tokeidai Memorial Hospital, Cardiovascular Center, Sapporo, Japan/Kurashiki Central Hospital, Department of Cardiology, Kurashiki, Japan
- MO28 Hybrid revascularization procedures reduced limb amputation in patients with acute limb ischemia.
Toshiaki Yamanaka | Department of Cardiolovascular Medicine, Tsuyama Chuo Hospital, Tsuyama, Japan
- MO29 Clinical outcome of "full metal jacket" treatment for femoropopliteal lesions
Shinsuke Mori | Saiseikai Yokohama City Eastern Hospital, Yokohama, Japan
- MO30 A case of severe calcified left subclavian artery CTO treated using sheath rendezvous method.
Tetsuya Taguchi | Fukaya Red Cross Hospital, Saitama, Japan
- MO31 Stenting of superior mesenteric artery stenosis covered by stent graft of thoracic aortic aneurysm
Hiroki Mochizuki | St.luke's International Hospital Cardiovascular Center, Tokyo, Japan
- MO32 Complete Exclusion by using Three Covered Stents of Recurrent Hepatic Artery Aneurysm
Ryo Yoshioka | The Sakakibara Heart Institute of Okayama, Okayama, Japan

February 17 (Fri) 16:50-18:20

Lecture Room 1 (Nexus)

Presentation Award 5

Chairs Norihiko Shinozaki | Tokai University School of Medicine
Yoshiaki Shintani | Shin-Koga Hospital
Hyun-Sook Kim | Hallym University Sacred Heart Hospital

- MO33 Successful bailout procedure from acute popliteal artery occlusion associated with EXOSEAL®
Ryota Urata | Department of Cardiovascular Medicine, Nantan General Hospital, Kyoto, Japan
- MO34 A Case of Subacute limb Ischemia Associated with Hemostatic Device (Angio-Seal)
Michiya Tachiiri | Department of cardiology, Japanese Red Cross Otsu Hospital, Shiga, Japan
- MO35 Combination Hemostasis for a Pseudoaneurysm: Metacross RX and Thrombin Injection
Keisuke Nakabayashi | Kasukabe Chuo General Hospital Heart Center, Saitama, Japan
- MO36 A case of Saphenous Vein Graft Perforation
Noritoshi Hiranuma | Ako City Hospital
- MO37 Open the closed box in order to bailout a failure of stent deployment system
Takahide Suzuki | JA Hokkaido Asahikawa Kosei General Hospital, Hokkaido, Japan
- MO38 A case of distal embolization due to huge thrombus that couldn't be recovered Parachute wire
Ryuma Ishihara | Kawakita General Hospital
- MO39 A Case of Delayed Pseudo-aneurysm after Stent Thrombosis of Superficial Femoral Artery Stenting
Kazuki Tobita | Department of Cardiology, Shonan Kamakura General Hospital
- MO40 A trouble case of stenting across to another stent strut in EVT and bailout experiments.
Shingo Yoshioka | Nagoya Tokushukai General Hospital Department of Cardiology, Aichi, Japan

February 18 (Sat) 13:20-14:50

Lecture Room 1 (Nexus)

Presentation Award 6

- Chairs Makoto Utsunomiya | Tokyo Rosai Hospital
Yusuke Iwasaki | Osaka General Medical Center
Pil-Ki Min | Gangnam Severance Hospital
- MO41 Vascular response to paclitaxel-eluting self-expanding stent in superficial femoral artery lesions
Daisuke Terashita | Kobe University Graduate School of Medicine, Kobe, Japan
- MO42 Impact of Stent Diameter on Stent Patency After Stent Implantation in the Superficial Femoral Artery
Kojiro Miki | Division of Cardiovascular Medicine and Coronary Heart Disease, Hyogo College of Medicine, Hyogo, Japan
- MO43 Comparison of IVUS and Restenosis after Stenting for de novo SFA classified with PACCS grade 4
Shigemitsu Shirai | Saiseikai Yokohama City Eastern Hospital, Kanagawa, Japan
- MO44 Bail-Out Stenting for the Dissection Made by Sub-intimal Thrombectomy in Acute Limb Ischemia
Tetsuo Yamaguchi | Japanese Red Cross Musashino Hospital, Tokyo, Japan
- MO45 Artificial Blood Vessel Bypass Compared with Endovascular Therapy for TASC D Lesions
Tsuyoshi Shibata | Department of Cardiovascular Surgery, Hakodate Municipal Hospital, Hokkaido, Japan
- MO46 Successful endovascular treatment with a limited puncture site due to severe joint contracture
Hiroshi Kubota | Department of Cardiovascular Medicine, Nantan General Hospital, Kyoto, Japan
- MO47 Clinical Efficacy of Pedal Artery Angioplasty stratified by severity of Pedal Artery Disease
Yoshinori Tsubakimoto | Department of Cardiology, Japanese Red Cross Kyoto Daini Hospital, Kyoto, JAPAN
- MO48 Relationship between tissue oxygen saturation and final angiographic result after EVT for CLI
Keisuke Shoji | Japanese Red Cross Kyoto Daiichi Hospital Department of Cardiology, Kyoto, Japan

February 18 (Sat) 13:20-14:50

Lecture Room 2 (Nexus)

Presentation Award 7

- Chairs Hitoshi Anzai | Ota Memorial Hospital
Ryoji Koshida | Tokeidai Memorial Hospital
Hsu-Ting Yen | Kaohsiung Chang Gung Memorial Hospital
- MO49 Evaluation Method of The Endpoint after Endovascular Treatment for Critical Limb Ischemia.
Makoto Sugihara | Fukuoka University Hospital, Department of Cardiology
- MO50 Predictors of one year mortality after EVT for CLI with below-the knee disease
Yasuhiro Kaetsu | Kakogawa Central City Hospital, Kakogawa, Japan
- MO51 Does the Routine Screening Coronary Angiography Examination Improve the Clinical Prognosis of Patients with Critical Limbs Ischemia?
Tatsuro Takei | Cardiovascular Center, Miyazaki Medical Association Hospital, Miyazaki, Japan
- MO52 CLI with BTK Lesions, Rutherford Class 6 and Incomplete Revascularization: What to Do Next?
Kiyohito Arai | Department of Cardiology, Saiseikai Kurihashi Hospital
- MO53 The impact of Sleep Apnea Syndrome on wound heal in patients with Critical Limb Ischemia
Nozomu Yukimitsu | Tokyo Rosai Hospital, Japan

- MO54 The case which could cross a wire into meander peripheral artery and occlusion of a bypass vessel by using steering micro catheter of Sumius-made
Michitaka Sugeno | Cardiovascular Medicine Center, Fukuoka Sanno Hospital, Fukuoka, Japan
- MO55 The safety and efficacy of the distal puncture technique for patients with critical limb ischemia
Kenji Ogata | Miyazaki Medical Association Hospital
- MO56 Successful Case of Below-the-knee Angioplasty Using PIERCE Technique
Satoshi Tsujimoto | Department of Medicine II, Kansai Medical University

February 18 (Sat) 14:50-16:20

Lecture Room 1 (Nexus)

Presentation Award 8

- Chairs Wataru Higashiura | Okinawa Prefectural Chubu Hospital
Toshifumi Kudo | Tokyo Medical and Dental University
Chung-Dann Kan | National Cheng Kung University Hospital
- MO57 Hakodate Abdominal Aortic Aneurysm Study: Screening with Echocardiography
Tsuyoshi Shibata | Department of Cardiovascular Surgery, Hakodate Municipal Hospital, Hokkaido, Japan
- MO58 Successful Endovascular Repair for a concomitant Aortic Occlusion with an Abdominal Aortic Aneurysm
Naoko Higashino | Kansai Rosai Hospital Cardiovascular Center
- MO59 A Successful Case of Endovascular Aortic Repair for Abdominal Aortic Aneurysm with Horseshoe Kidney
Satoru Nagatomi | Sumitomo Hospital, Department of Radiology, Osaka, Japan
- MO60 Successful EVT for SMA Occlusion after EVAR by Using Trans-collateral Approach from Celiac Artery
Kiyonori Nanto | Kansai Rosai Hospital, Cardiovascular Center
- MO61 Endovascular aortic aneurysm repair in patients with narrow aortic bifurcation
Veera Suwanruangsri | Department of Surgery Maharat Nakhon Ratchasima Hospital, Thailand
- MO62 Double Effectiveness of Thoracic Endovascular Aortic Repair (TEVAR) for Refractory Heart Failure
Hirooki Higami | Department of cardiovascular, Otsu Red Cross Hospital
- MO63 Aortic arch aneurysm treatment with endovascular double-branched prosthesis. Case report.
Giuseppe Petrilli | Division of Cardiac Surgery University of Verona Italy/Department of Radiology, Azienda Ospedaliera Universitaria Integrata, Verona, Italy.
- MO64 Endovascular Entry Closure of Aortic Dissection with Amplatzer Vascular Plug 2
Yosuke Hata | Kansai Rosai Hospital Cardiovascular Center, Hyogo, Japan

February 18 (Sat) 14:50-16:20

Lecture Room 2 (Nexus)

Presentation Award 9

- Chairs Masatsugu Nakano | Tokyo General Hospital
Yoshimitsu Soga | Kokura Memorial Hospital
Min Ku Chon | Pusan National University Yangsan Hospital
- MO65 The Long-term Outcomes of EVT using Excimer Laser Atherectomy for atherosclerotic lesions in CFA
Kazunori Horie | Sendai Kousei Hospital, Cardiovascular Center, Miyagi, Japan

- MO66 A case of surgical retrieval of LifeStent® that could only be deployed partially
Ryuichiro Imai | Department of cardiology, Chikamori hospital, Kochi, Japan
- MO67 Critical Limb Ischemia with Systemic Sclerosis Treated by EVT and Lumbar Sympathetic Nerve Blockade
Takumi Inoue | Hyogo Prefectural Awaji Medical Center, Sumoto, Japan
- MO68 Knuckled shaped 0.035 wire protrusion during the procedure of the ISR-CTO
Eiji Karashima | Shimonoseki City Hospital Cardiovascular Medicine, Yamaguchi, Japan
- MO69 A case of Critical Limb Ischemia after Femoral-Femoral and Femoral-Popliteal Bypass Surgery.
Shunsuke Ozaki | Departement of Cardiovascular Medicine, Itabashi Chuo Medical Center, Tokyo, Japan
- MO70 A case of FP bypass obstruction successfully recanalized native SFA using Outback system.
Tomoyasu Sato | Radiology, Tsuchiya general hospital
- MO71 Effectiveness of OTW balloon catheter for BTK-CTO EVT
- Single center experience and bench testing -
Masayoshi Kimura | Japanese Red Cross Kyoto Daiichi Hospital, Department of Cardiology, Kyoto, Japan
- MO72 The Stuck Crosser Catheter at BK Lesion
Nobuyuki Miyai | Koseikai Takeda Hosptital, Department of Cardiology, Kyoto, Japan

February 18 (Sat) 16:50-18:20

Lecture Room 1 (Nexus)

Presentation Award 10

- Chairs Norio Tada | Sendai Kousei Hospital
Michiaki Higashitani | Tokyo Medical University, Ibaraki Medical Center
- MO73 Three Cases of CoreValve Dislocation During Transcatheter Aortic Valve Implantation.
Masayuki Nakamura | Nagoya Tokusuyukai General Hospital Department of Cardiology, Nagoya, Japan
- MO74 A case of TAVI with a trouble of balloon stuck to Corevalve strut.
Akimitsu Tanaka | Nagoya Tokushukai General Hospital, Aichi, Japan
- MO75 Clinical Implications of Balloon Valvuloplasty for High-Risk Patients with Aortic Valve Stenosis
Yusuke Takagi | Department of Cardiology, Iwaki Kyoritsu General Hospital, Iwaki, Japan
- MO76 A Cases of Improvement of Iliofemoral Artery Spasm after Transfemoral Transcatheter Aortic Valve Implantation
Hiroyuki Takekawa | Cardiovascular Center, Sendai Kousei Hospital, Miyagi, Japan
- MO77 A Case of Near Leriche Syndrome with Severe Calcification Treated with Kissing Self-expanding Stent
Tomoki Doue | Department of Cardiology, Shakaiiryohojin Seichokai Fuchu Hospital, Osaka, Japan
- MO78 3 cases of percutaneous transluminal renal angioplasty of acute renal infarction
Hikaru Ishiwaki | Asahi General Hospital, Chiba, Japan
- MO79 Angioplasty for Progressive Renal Artery Stenosis with Large-vessel Vasculitis: a Case Report
Hironobu Toda | Department of Cardiovascular Medicine, Okayama University, Okayama, Japan
- MO80 Long-term Outcomes after Renal Artery Stenting for Atherosclerotic RAS: A Single-Center Study
Tetsuya Ishikawa | Jikei University Kashiwa Hospital, Kashiwa, Chiba, Japan